



**Drug Name:** Nuplazid (pimavanserin)

**Date:** 12-2017

**Revised Date:** 7/2018

<b>Drug Name:</b>	<b>Nuplazid (pimavanserin)</b>
<b>Prescriber</b>	Prescriber is a board certified neurologist.
<b>Restrictions:</b>	
<b>Required Medical Information:</b>	<ul style="list-style-type: none"> <li>• Patient has a documented diagnosis of Parkinson’s disease; and</li> <li>• Patient has a documented diagnosis of Parkinson’s disease (PD) psychosis; and</li> <li>• Onset of psychosis must be after Parkinson’s disease diagnosis (psychosis diagnosis was not present prior to Parkinson’s Disease diagnosis); and</li> <li>• Patient has a recent history of frequent (psychotic events that occur at least once weekly) moderate-to-severe hallucinations and delusions for at least one month in duration; and</li> <li>• Patient has failed, has documented intolerance or contraindication to, quetiapine; or</li> <li>• Patient has failed, has documented intolerance or contraindication to, clozapine; and</li> <li>• Prescriber has attempted to decrease patient’s dose of prescribed Parkinson’s Disease (PD) medications to alleviate the potential cause of psychotic events; and</li> <li>• Patient does not have evidence of a prolonged QT interval and/or is not taking medication that may prolong the QT interval; and</li> <li>• Patient has been evaluated for, and does not have a diagnosis of, dementia-related psychosis.</li> </ul>
<b>Note(s)</b>	Frequent hallucinations and delusions are defined as psychotic events that occur at least once weekly.
<b>Coverage duration:</b>	12 months