#### Effective Date: 7/1/2023

Reviewed: 3/23, 3/24, 9/25 Pharmacy Scope: Medicaid

Medical Scope: Medicaid, Commercial,

Medicare

### SUNLENCA (lenacapavir)

#### **POLICY**

#### I. INDICATIONS

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

### FDA-Approved Indication

Sunlenca, a human immunodeficiency virus type 1 (HIV-1) capsid inhibitor, in combination with other antiretroviral(s), is indicated for the treatment of HIV-1 infection in heavily treatment-experienced adults with multidrug resistant HIV-1 infection failing their current antiretroviral regimen due to resistance, intolerance, or safety considerations.

All other indications are considered experimental/investigational and not medically necessary.

#### II. PRESCRIBER SPECIALTIES

This medication must be prescribed by or in consultation with an infectious disease specialist who specializes in the treatment of HIV infection.

## III. CRITERIA FOR INITIAL APPROVAL

Authorization of 6 months may be granted for treatment of HIV-1 when all of the following criteria are met:

- A. Patient has heavily treated multi-drug resistant disease, confirmed by resistance testing, to at least two drugs in at least three classes (see table below); **AND**
- B. Patient has a baseline viral load  $\geq 400$  copies/mL; **AND**
- C. Patient is failing on their current anti-retroviral regimen for at least 2 months; AND
- D. Used in combination with highly active antiretroviral therapy (HAART) for which, via resistance testing, the patient's disease is known to be sensitive/susceptible

Class	Examples (not all-inclusive)
Nucleoside reverse transcription inhibitor (NRTI)	Abacavir, emtricitabine, lamivudine, stavudine, tenofovir disoproxil fumarate, zidovudine
Non-nucleoside reverse transcription inhibitor (NNRTI)	Delaviridine, efavirenz, rilpivirine, nevirapine, etravirine, doravirine
Protease inhibitor (PI)	Atazanavir, darunavir, fosamprenavir, nelfinavir, ritonavir, tipranavir



Εf	fect	ive	Da	te:	7/1/	20	23
7		- 1	<b>a</b> /	~ ~	2 /2	- 0	/05

Reviewed: 3/23, 3/24, 9/25 Pharmacy Scope: Medicaid

Medical Scope: Medicaid, Commercial,

Medicare

Integrase strand transfer inhibitor (INSTI)	raltegravir, dolutegravir, elvitegravir
---	---

### IV. CONTINUATION OF THERAPY

Authorization of 12 months may be granted for members continuing with Sunlenca therapy for the treatment of HIV when the following criteria are met:

- A. There is a clinical benefit demonstrated from Sunlenca therapy\* (e.g., reduction in viral load from baseline); **AND**
- B. Sunlenca will continue to be taken in combination with an optimized antiviral background regimen including one or more other antiretroviral agents.\*

\*Note: increases in viral load from nadir and/or less than anticipated reduction from baseline should prompt resistance testing for susceptibility and optimization of the background regimen

### V. QUANTITY LIMIT

Sunlenca 300 mg tablets have a quantity limit of 1 pack (4 or 5 tablets) per 365 days.

Sunlenca 463.5 mg/1.5 mL (309 mg/mL) single-dose vials for injection have a quantity limit of 3 ml per 6 months (26 weeks).



## Effective Date: 7/1/2023

Reviewed: 3/23, 3/24, 9/25 Pharmacy Scope: Medicaid

Medical Scope: Medicaid, Commercial,

Medicare

# VI. BILLING CODE/AVAILABILITY INFORMATION

• J1961 – injection, lenacapavir, 1mg

## VII. REFERENCES

Sunlenca [package insert]. Foster City, CA: Gilead Sciences, Inc.; October 2023. Accessed March 2024.

