STEP THERAPY CRITERIA

BRAND NAME (generic)

GRALISE

(gabapentin extended-release tablet)

HORIZANT

(gabapentin enacarbil extended-release tablet)

LYRICA (pregabalin)

LYRICA CR

(pregabalin extended-release)

Status: CVS Caremark Criteria

Type: Initial Step Therapy; Post Step Therapy Prior Authorization

POLICY

FDA-APPROVED INDICATIONS

Gralise

Gralise is indicated for the management of postherpetic neuralgia.

Gralise is not interchangeable with other gabapentin products because of differing pharmacokinetic profiles that affect the frequency of administration.

Horizant

Treatment of Restless Legs Syndrome

Horizant is indicated for the treatment of moderate-to-severe primary Restless Legs Syndrome (RLS) in adults. Horizant is not recommended for patients who are required to sleep during the daytime and remain awake at night. Management of Postherpetic Neuralgia

Horizant is indicated for the management of postherpetic neuralgia (PHN) in adults.

Lvrica

Lyrica is indicated for:

- Management of neuropathic pain associated with diabetic peripheral neuropathy
- Management of postherpetic neuralgia
- · Adjunctive therapy for the treatment of partial-onset seizures in patients 1 month of age and older
- Management of fibromyalgia
- Management of neuropathic pain associated with spinal cord injury

Lyrica CR

Lyrica CR is indicated for the management of:

- Neuropathic pain associated with diabetic peripheral neuropathy
- Postherpetic neuralgia

Efficacy of Lyrica CR has not been established for the management of fibromyalgia or as adjunctive therapy for adult patients with partial onset seizures.

Lyrica, Lyrica CR, Gralise, Horizant ST, Post PA Policy 656-D 06-2022 v2

©2022 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

Compendial Uses

Lyrica

- Cancer-Related Neuropathic Pain^{10,14}
- Cancer Treatment-Related Neuropathic Pain^{10,14}

INITIAL STEP THERAPY

For Lyrica, Lyrica CR, or Gralise

If the patient has filled a prescription for at least a 30 day supply of gabapentin immediate-release within the past 120 days under a prescription benefit administered by CVS Caremark, then the requested drug will be paid under that prescription benefit. If the patient does not meet the initial step therapy criteria, then the system will reject with a message indicating that a prior authorization (PA) is required. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit.

For Horizant

If the patient has filled a prescription for <u>at least a 30 day supply of any of the following: pramipexole immediate-release, ropinirole immediate-release, or gabapentin immediate-release</u> within the past 120 days under a prescription benefit administered by CVS Caremark, then the requested drug will be paid under that prescription benefit. If the patient does not meet the initial step therapy criteria, then the system will reject with a message indicating that a prior authorization (PA) is required. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit.

COVERAGE CRITERIA

The requested drug will be covered with prior authorization when the following criteria are met:

- Lyrica (pregabalin immediate-release) is being prescribed for one of the following: A) Management of
 fibromyalgia, B) Management of neuropathic pain associated with spinal cord injury, C) Adjunctive therapy for
 partial-onset seizures (i.e., focal-onset seizures) in a patient 1 month to up to 3 years of age, D) Cancer-related
 neuropathic pain, E) Cancer treatment-related neuropathic pain AND
 - If the request is for Lyrica (pregabalin) oral solution, the patient meets one of the following: A) has
 difficulty swallowing oral solid dosage forms (e.g., capsules), B) requires a dose that cannot be obtained
 using the commercially available capsules

OR

- Lyrica (pregabalin immediate-release) is being prescribed for one of the following: A) Adjunctive therapy for
 partial-onset seizures (i.e., focal-onset seizures) in a patient 3 years of age or older, B) Management of
 postherpetic neuralgia, C) Management of neuropathic pain associated with diabetic peripheral neuropathy AND
 - The patient has experienced an inadequate treatment response, intolerance, or has a contraindication to gabapentin immediate-release **AND**
 - If the request is for Lyrica (pregabalin) oral solution, the patient meets one of the following: A) has
 difficulty swallowing oral solid dosage forms (e.g., capsules), B) requires a dose that cannot be
 obtained using the commercially available capsules

OR

- Lyrica CR (pregabalin extended-release), Gralise (gabapentin extended-release), or Horizant (gabapentin enacarbil extended-release) is being prescribed for the management of postherpetic neuralgia **AND**
 - The patient has experienced an inadequate treatment response, intolerance, or has a contraindication to gabapentin immediate-release

OR

- Lyrica CR (pregabalin extended-release) is being prescribed for the management of neuropathic pain associated with diabetic peripheral neuropathy **AND**
 - The patient has experienced an inadequate treatment response, intolerance, or has a contraindication to TWO of the following: A) gabapentin immediate-release, B) pregabalin immediate-release, C) duloxetine, D) venlafaxine, E) a tricyclic antidepressant

OR

 Horizant (gabapentin enacarbil extended-release) is being prescribed for the treatment of Restless Legs Syndrome AND

Lyrica, Lyrica CR, Gralise, Horizant ST, Post PA Policy 656-D 06-2022 v2

©2022 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

 The patient has experienced an inadequate treatment response, intolerance, or has a contraindication to ANY of the following: A) pramipexole immediate-release, B) ropinirole immediate-release

REFERENCES

- 1. Cymbalta [package insert]. Indianapolis, IN: Lilly USA, LLC; September 2021.
- 2. Gralise [package insert]. Newark, CA: Depomed, Inc.; April 2020.
- 3. Horizant [package insert]. Atlanta, GA: Arbor Pharmaceuticals, April 2020.
- 4. Lyrica [package insert]. New York, NY: Parke-Davis; June 2020.
- 5. Lyrica CR [package insert]. New York, NY: Parke-Davis; June 2020.
- 6. Pramipexole [package insert]. East Windsor, NJ: Aurobindo Pharma USA, Inc.; July 2021.
- 7. Ropinirole [package insert]. Bedminster, NJ: Alembic Pharmaceuticals, Inc. August 2021.
- 8. Neurontin [package insert]. New York, NY: Parke-Davis Division of Pfizer Inc; December 2020.
- Lexicomp Online, AHFS DI (Adult and Pediatric) Online, Hudson, Ohio: UpToDate, Inc.; 2022; Accessed April 18, 2022.
- 10. Micromedex (electronic version). IBM Watson Health, Greenwood Village, Colorado, USA. Available at: https://www.micromedexsolutions.com. Accessed April 18, 2022.
- 11. American Diabetes Association. Microvascular Complications and Foot Care: Standards of Medical Care in Diabetes—2022. *Diabetes Care*. 2022;45(Suppl. 1):S185-S194.
- 12. Pop-Busui R, Boulton A, Feldman E, et al. Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care*. 2017;40:136–154.
- 13. Price R, Smith D, Franklin D et. al. Oral and Topical Treatment of Painful Diabetic Polyneuropathy: Practice Guideline Update Summary. Report of the AAN Guideline Subcommittee. *Neurology* 2022; 98:31-43.
- 14. NCCN Guidelines. Version 1.2022 Adult Cancer Pain. Available at http://www.nccn.org/professionals/physician_gls/pdf/pain.pdf. Accessed April 2022.
- 15. Fisher RS, Cross JH, French JA, et al. Operational Classification of seizure types by the International League Against Epilepsy: Position Paper of the ILAE Commission for Classification and Terminology. *Epilepsia*. 2017 Apr;58(4):522-530.
- 16. Winkelman J, Armstrong M, Allen R, et al. Practice guideline summary: Treatment of Restless Legs Syndrome in Adults. *Neurology*. 2016;87:2585–2593.