

Effective date: 04/01/2022
Review date:12/2021, 06/2022, 2/2023, 01/2024
Pharmacy Scope: Medicaid, Medical Scope: Commercial, Medicare-Medicaid Plan (MMP)

SPECIALTY GUIDELINE MANAGEMENT

SOMATULINE DEPOT (lanreotide) NON-ONCOLOGY

POLICY

Policy Statement:

Somatuline Depot (lanreotide) is covered under the Pharmacy Benefit for Medicaid members and covered under the Medical Benefit for Commercial and MMP members when used within the following guidelines. Use outside of these guidelines may result in non-payment unless approved under an exception process.

I. INDICATIONS

FDA-Approved Indications

Somatuline Depot is indicated for the long-term treatment of acromegalic patients who have had an inadequate response to surgery and/or radiotherapy, or for whom surgery and/or radiotherapy is not an option.

II. DOCUMENTATION

Submission of the following information is necessary to initiate the prior authorization review for acromegaly:

- A. For initial approval: Laboratory report indicating high pretreatment insulin-like growth factor-1 (IGF-1) level and chart notes indicating an inadequate or partial response to surgery or radiotherapy or a clinical reason for not having surgery or radiotherapy.
- B. For continuation: Laboratory report indicating normal current IGF-1 levels or chart notes indicating that the member's IGF-1 level has decreased or normalized since initiation of therapy.

III. CRITERIA FOR INITIAL APPROVAL

A. Acromegaly

Authorization of 12 months may be granted for the treatment of acromegaly when all of the following criteria are met:

1. Member has a high pretreatment insulin-like growth factor-1 (IGF-1) level for age and/or gender based on the laboratory reference range.
2. Member had an inadequate or partial response to surgery or radiotherapy OR there is a clinical reason why the member has not had surgery or radiotherapy.

IV. CONTINUATION OF THERAPY

A. Acromegaly

Authorization of 12 months may be granted for continuation of therapy for acromegaly when the member's IGF-1 level has decreased or normalized since initiation of therapy.

Effective date: 04/01/2022
Review date:12/2021, 06/2022, 2/2023, 01/2024
Pharmacy Scope: Medicaid, Medical Scope: Commercial, Medicare-Medicaid Plan (MMP)

V. DOSAGE/ADMINISTRATION

Indication	Dose
Acromegaly	<ul style="list-style-type: none"> • Recommended starting dose is 90 mg by deep subcutaneous injection every 4 weeks for 3 months, adjusted thereafter based on GH and/or IGF-1 levels: <ul style="list-style-type: none"> ○ GH >1 to ≤ 2.5 ng/mL, IGF-1 normal and clinical symptoms controlled: maintain Somatuline Depot dose at 90 mg every 4 weeks ○ GH > 2.5 ng/mL, IGF-1 elevated and/or clinical symptoms uncontrolled, increase Somatuline Depot dose to 120 mg every 4 weeks ○ GH ≤ 1 ng/mL, IGF-1 normal and clinical symptoms controlled: reduce Somatuline Depot dose to 60 mg every 4 weeks

Investigational use: All therapies are considered investigational when used at a dose or for a condition other than those that are recognized as medically accepted indications as defined in any one of the following standard reference compendia: American Hospital Formulary Service Drug information (AHFS-DI), Thomson Micromedex DrugDex, Clinical Pharmacology, Wolters Kluwer Lexi-Drugs, or Peer-reviewed published medical literature indicating that sufficient evidence exists to support use. Neighborhood does not provide coverage for drugs when used for investigational purposes.

Applicable Codes:

Below is a list of billing codes applicable for covered treatment options. The below tables are provided for reference purposes and may not be all inclusive. Requests received with codes from tables below do not guarantee coverage. Requests must meet all criteria provided in the procedure section.

VI. The following HCPCS/CPT code is:

HCPCS/CPT code	Description
J1930	Injection, lanreotide, 1mg; 1 billable unit = 1mg

VII. REFERENCES

1. Somatuline Depot [package insert]. Basking Ridge, NJ: Ipsen Biopharmaceuticals, Inc.; March 2023. Accessed November 2023.
2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: <http://www.nccn.org>. Accessed January 29, 2019.
3. Katznelson L, Laws ER, Melmed S, et al. Acromegaly: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab.* 2014;99:3933-3951.
4. American Association of Clinical Endocrinologists Acromegaly Guidelines Task Force. Medical guidelines for clinical practice for the diagnosis and treatment of acromegaly – 2011 update. *Endocr Pract.* 2011;17(suppl 4):1-44.
5. The NCCN Clinical Practice Guidelines in Oncology® Neuroendocrine and Adrenal Tumors (Version 4.2018). © 2019 National Comprehensive Cancer Network, Inc. <http://www.nccn.org>. Accessed January 29, 2019.
6. Caplin ME, Pavel M, Cwikla JB, et al. Lanreotide in metastatic enteropancreatic neuroendocrine tumors. *N Engl J Med.* 2014;371:224-233.